

Sampling Days	Days where a CSO discharge occurred	Total Discharges		Southern Water Predict Harbour Water Quality Impact		Discharges Not Expected to be Capable of Materially Impacting Harbour Water Quality			
		Date	Date	Number	Total Time (HH:MM)	Number	Total Time (HH:MM)	Number	Total Time (HH:MM)
	(12/06/2023)			0	0:00	0	0:00	0	0:00
	(13/06/2023)			0	0:00	0	0:00	0	0:00
	(14/06/2023)			0	0:00	0	0:00	0	0:00
15/06/2023				0	0:00	0	0:00	0	0:00
	18/06/2023			5	2:00	0	0:00	5	2:01
	20/06/2023			12	25:15	4	3:46	8	21:29
	21/06/2023			10	0:42	0	0:00	10	0:42
22/06/2023				0	0:00	0	0:00	0	0:00
	27/06/2023			1	1:54	0	0:00	1	1:54
	28/06/2023			2	9:01	0	0:00	2	9:01
29/06/2023				0	0:00	0	0:00	0	0:00
	04/07/2023			1	5:54	0	0:00	1	5:54
	05/07/2023			20	5:02	0	0:00	20	5:02
06/07/2023				0	0:00	0	0:00	0	0:00
	07/07/2023			1	0:04	0	0:00	1	0:04
	08/07/2023			5	0:14	0	0:00	5	0:14
13/07/2023				0	0:00	0	0:00	0	0:00
	14/07/2023			3	8:11	0	0:00	3	8:11
20/07/2023				0	0:00	0	0:00	0	0:00
	22/07/2023			4	14:7	2	0:45	2	13:22
	23/07/2023			9	23:30	2	4:05	7	19:25
	24/07/2023			4	4:05	0	0:00	4	4:05
	26/07/2023			3	10:55	1	2:21	2	8:34
27/07/2023				35	34:32	6	7:17	29	27:15
	02/08/2023			5	27:23	0	0:00	5	27:23
	03/08/2023			1	0:59	0	0:00	1	0:59
04/08/2023				0	0:00	0	0:00	0	0:00
	05/08/2023			7	21:36	0	0:00	7	21:36
10/08/2023				0	0:00	0	0:00	0	0:00
17/08/2023				0	0:00	0	0:00	0	0:00
	18/08/2023			17	51:5	8	23:15	9	27:50
	19/08/2023			1	0:19	0	0:00	1	0:19
24/08/2023				5	4:16	0	0:00	5	4:16
	25/08/2023			2	1:59	0	0:00	2	1:59
	26/08/2023			6	3:33	0	0:00	6	3:33
31/08/2023				44	18:35	0	0:00	44	18:35

Continued on Next Page...

**Discharges;**

	None within 72hrs of sample
	Occurring 48-72 hrs prior to sample
	Occurring 24-48 hrs prior to sample collection
	Within 24hrs prior to-, or occurring during- sample collection

...Continued from Previous Page

Sampling Days	Days where a CSO discharge occurred	Total Discharges		Southern Water Predict Harbour Water Quality Impact		Discharges Not Expected to be Capable of Materially Impacting Harbour Water Quality			
		Date	Date	Number	Total Time (HH:MM)	Number	Total Time (HH:MM)	Number	Total Time (HH:MM)
	01/09/2023			2	9:55	0	0:00	2	9:55
07/09/2023				0	0:00	0	0:00	0	0:00
14/09/2023				0	0:00	0	0:00	0	0:00
	17/09/2023			19	48:56	8	19:17	11	29:39
	18/09/2023			4	8:04	0	0:00	4	8:04
	20/09/2023			13	34:50	10	15:18	3	19:32
21/09/2023	21/09/2023			13	40:8	2	2:52	11	37:16
	22/09/2023			2	0:09	0	0:00	2	0:09
28/09/2023				0	0:00	0	0:00	0	0:00
05/10/2023				0	0:00	0	0:00	0	0:00
	11/10/2023			7	0:21	0	0:00	7	0:21
12/10/2023	12/10/2023			7	2:06	0	0:00	7	2:06
	13/10/2023			11	40:01	7	13:59	4	26:02
	14/10/2023			3	1:14	0	0:00	3	1:14
	18/10/2023			50	54:17	6	20:50	44	33:27
19/10/2023	19/10/2023			125	73:04	5	5:59	120	67:05
	20/10/2023			79	80:17	2	14:47	77	65:30
	21/10/2023			94	115:48	2	9:47	92	106:01
	22/10/2023			4	46:27	0	0:00	4	46:27
	23/10/2023			1	0:15	0	0:00	1	0:15
	24/10/2023			12	50:11	4	13:27	8	36:44
	25/10/2023			25	305:10	11	85:45	14	219:25
26/10/2023	26/10/2023			13	169:16	3	48:23	10	120:53
	27/10/2023			28	149:03	4	45:16	24	103:47
	28/10/2023			26	298:58	11	67:16	15	231:42
	29/10/2023			25	337:45	8	69:55	17	267:50
30/10/2023	30/10/2023			16	245:12	2	48:00	14	197:12

Discharges;

	None within 72hrs of sample
	Occurring 48-72 hrs prior to sample
	Occurring 24-48 hrs prior to sample collection
	Within 24hrs prior to-, or occurring during- sample collection